


# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:

Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

|   |                |                |                    |
|---|----------------|----------------|--------------------|
|  | <b>ND</b>      | <b>11.252%</b> | <b>11.252%</b>     |
|   | Total THC      | Total CBD      | Total Cannabinoids |
|   | <b>NT</b>      | <b>NT</b>      | <b>Not Tested</b>  |
|   | Water Activity | Moisture       | Foreign Matter     |

**Safety**

Batch Status: Pass

|                           |                           |                           |                         |                       |                                     |
|---------------------------|---------------------------|---------------------------|-------------------------|-----------------------|-------------------------------------|
| <b>Pass</b><br>Pesticides | <b>Pass</b><br>Microbials | <b>Pass</b><br>Mycotoxins | <b>Pass</b><br>Solvents | <b>Pass</b><br>Metals | <b>Not Tested</b><br>Foreign Matter |
|---------------------------|---------------------------|---------------------------|-------------------------|-----------------------|-------------------------------------|

**Cannabinoids**

Complete

| Analyte          | LOD    | LOQ    | Mass           | Mass           | Mass           | Mass         | Mass         |
|------------------|--------|--------|----------------|----------------|----------------|--------------|--------------|
|                  | %      | %      | %              | mg/g           | mg/mL          | mg/serving   | mg/container |
| THCa             | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| Δ9-THC           | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| Δ8-THC           | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBDa             | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBD              | 0.0199 | 0.0199 | 11.2521        | 112.521        | 128.341        | ND           | ND           |
| CBDV             | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBN              | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBGa             | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBG              | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| CBC              | 0.0199 | 0.0199 | ND             | ND             | ND             | ND           | ND           |
| <b>Total THC</b> |        |        | <b>ND</b>      | <b>ND</b>      | <b>ND</b>      | <b>ND</b>    | <b>ND</b>    |
| <b>Total CBD</b> |        |        | <b>11.2521</b> | <b>112.521</b> | <b>128.341</b> | <b>NaN</b>   | <b>NaN</b>   |
| <b>Total</b>     |        |        | <b>11.2521</b> | <b>112.521</b> | <b>128.341</b> | <b>0.000</b> | <b>0</b>     |

**Moisture**

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu MOC63U; EVIO SOPT.40.010

**Foreign Matter**

Date Tested:

Equipment Used: Analytical Instrumentation: Stereo Microscope SH-2B/T; EVIO SOPT.40.013

**Water Activity**

Date Tested:

Equipment Used: NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Rotronic HC2-AW; EVIO SOPT.40.011.CA

Total CBD = (CBDa x 0.877) + CBD, Total THC = (THCa x 0.877) + Δ9-THC

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Cured plant material reported as moisture-corrected % dry weight, other sample types reported 'as is'; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu Nexera HPLC. EVIO SOPT.30.050.CA, SOPT.40.023.CA




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:

Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

## Pesticides

Pass

| Analyte             | LOD   | LOQ   | Limit | Mass | Status | Analyte                 | LOD   | LOQ   | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g |        |                         | µg/g  | µg/g  | µg/g  | µg/g |        |
| Abamectin           | 0.024 | 0.08  | 0.3   | ND   | Pass   | Fludioxonil             | 0.014 | 0.075 | 30    | ND   | Pass   |
| Acephate            | 0.004 | 0.075 | 5     | ND   | Pass   | Hexythiazox             | 0.003 | 0.075 | 2     | ND   | Pass   |
| Acequinocyl         | 0.018 | 0.075 | 4     | ND   | Pass   | Imazalil                | 0.01  | 0.075 | 0.01  | ND   | Pass   |
| Acetamiprid         | 0.007 | 0.075 | 0.5   | ND   | Pass   | Imidacloprid            | 0.01  | 0.075 | 3     | ND   | Pass   |
| Aldicarb            | 0.015 | 0.075 | 0.015 | ND   | Pass   | Kresoxim Methyl         | 0.008 | 0.075 | 1     | ND   | Pass   |
| Azoxystrobin        | 0.007 | 0.075 | 40    | ND   | Pass   | Malathion               | 0.005 | 0.075 | 5     | ND   | Pass   |
| Bifenazate          | 0.006 | 0.075 | 5     | ND   | Pass   | Metalaxyl               | 0.006 | 0.075 | 15    | ND   | Pass   |
| Bifenthrin          | 0.008 | 0.075 | 0.5   | ND   | Pass   | Methiocarb              | 0.008 | 0.075 | 0.008 | ND   | Pass   |
| Boscalid            | 0.009 | 0.075 | 10    | ND   | Pass   | Methomyl                | 0.008 | 0.075 | 0.1   | ND   | Pass   |
| Captan              | 0.035 | 0.116 | 5     | ND   | Pass   | Methyl Parathion        | 0.016 | 0.075 | 0.016 | ND   | Pass   |
| Carbaryl            | 0.008 | 0.075 | 0.5   | ND   | Pass   | Mevinphos               | 0.01  | 0.075 | 0.01  | ND   | Pass   |
| Carbofuran          | 0.004 | 0.075 | 0.004 | ND   | Pass   | Myclobutanil            | 0.008 | 0.075 | 9     | ND   | Pass   |
| Chlorantraniliprole | 0.013 | 0.075 | 40    | ND   | Pass   | Naled                   | 0.009 | 0.075 | 0.5   | ND   | Pass   |
| Chlordane           | 0.003 | 0.075 | 0.003 | ND   | Pass   | Oxamyl                  | 0.005 | 0.075 | 0.2   | ND   | Pass   |
| Chlorfenapyr        | 0.008 | 0.075 | 0.008 | ND   | Pass   | Pacllobutrazol          | 0.006 | 0.075 | 0.006 | ND   | Pass   |
| Chlorpyrifos        | 0.003 | 0.075 | 0.003 | ND   | Pass   | Pentachloronitrobenzene | 0.015 | 0.075 | 0.2   | ND   | Pass   |
| Clofentezine        | 0.004 | 0.075 | 0.5   | ND   | Pass   | Permethrin              | 0.01  | 0.075 | 20    | ND   | Pass   |
| Coumaphos           | 0.004 | 0.075 | 0.004 | ND   | Pass   | Phosmet                 | 0.008 | 0.075 | 0.2   | ND   | Pass   |
| Cyfluthrin          | 0.064 | 0.21  | 1     | ND   | Pass   | Piperonyl Butoxide      | 0.003 | 0.075 | 8     | ND   | Pass   |
| Cypermethrin        | 0.012 | 0.075 | 1     | ND   | Pass   | Prallethrin             | 0.009 | 0.075 | 0.4   | ND   | Pass   |
| Daminozide          | 0.007 | 0.075 | 0.007 | ND   | Pass   | Propiconazole           | 0.009 | 0.075 | 20    | ND   | Pass   |
| Diazinon            | 0.005 | 0.075 | 0.2   | ND   | Pass   | Propoxur                | 0.008 | 0.075 | 0.008 | ND   | Pass   |
| Dichlorvos          | 0.005 | 0.075 | 0.005 | ND   | Pass   | Pyrethrins              | 0.008 | 0.075 | 1     | ND   | Pass   |
| Dimethoate          | 0.007 | 0.075 | 0.007 | ND   | Pass   | Pyridaben               | 0.005 | 0.075 | 3     | ND   | Pass   |
| Dimethomorph        | 0.007 | 0.075 | 20    | ND   | Pass   | Spinetoram              | 0.006 | 0.075 | 3     | ND   | Pass   |
| Ethoprophos         | 0.005 | 0.075 | 0.005 | ND   | Pass   | Spinosad                | 0.004 | 0.075 | 3     | ND   | Pass   |
| Etofenprox          | 0.005 | 0.075 | 0.005 | ND   | Pass   | Spiromesifen            | 0.008 | 0.075 | 12    | ND   | Pass   |
| Etoxazole           | 0.004 | 0.075 | 1.5   | ND   | Pass   | Spirotetramat           | 0.01  | 0.075 | 13    | ND   | Pass   |
| Fenhexamid          | 0.005 | 0.075 | 10    | ND   | Pass   | Spiroxamine             | 0.003 | 0.075 | 0.003 | ND   | Pass   |
| Fenoxycarb          | 0.007 | 0.075 | 0.007 | ND   | Pass   | Tebuconazole            | 0.008 | 0.075 | 2     | ND   | Pass   |
| Fenpyroximate       | 0.004 | 0.075 | 2     | ND   | Pass   | Thiacloprid             | 0.008 | 0.075 | 0.008 | ND   | Pass   |
| Fipronil            | 0.01  | 0.075 | 0.01  | ND   | Pass   | Thiamethoxam            | 0.007 | 0.075 | 4.5   | ND   | Pass   |
| Fonicamid           | 0.007 | 0.075 | 2     | ND   | Pass   | Trifloxystrobin         | 0.005 | 0.075 | 30    | ND   | Pass   |

Date Tested: 08/05/2019

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND - Not Detected; The reported result is based on as-is sample mass, e.g., wet-weight; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOP.T.40.05.1.CA




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:

Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

## Residual Solvents

| Analyte             | LOD   | LOQ   | Limit | Concentration | Status |
|---------------------|-------|-------|-------|---------------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g          |        |
| 1,2-Dichloro-Ethane | 0.08  | 0.25  | 1     | ND            | Pass   |
| Benzene             | 0.03  | 0.12  | 1     | ND            | Pass   |
| Chloroform          | 0.11  | 0.37  | 1     | ND            | Pass   |
| Ethylene Oxide      | 0.12  | 0.41  | 1     | ND            | Pass   |
| Methylene-Chloride  | 0.66  | 0.75  | 1     | ND            | Pass   |
| Trichloroethene     | 0.4   | 0.4   | 1     | ND            | Pass   |
| Acetone             | 5.46  | 36    | 5000  | ND            | Pass   |
| Acetonitrile        | 0.41  | 1.37  | 410   | ND            | Pass   |
| Butane              | 41.96 | 230.4 | 5000  | ND            | Pass   |
| Ethanol             | 6.39  | 48    | 5000  | >MAX          | Pass   |
| Ethyl-Acetate       | 2.61  | 19.2  | 5000  | <LOQ          | Pass   |
| Ethyl-Ether         | 3.19  | 10.51 | 5000  | ND            | Pass   |
| Heptane             | 2.99  | 24    | 5000  | ND            | Pass   |
| Hexanes             | 0.31  | 1.03  | 290   | ND            | Pass   |
| Isopropanol         | 3.3   | 24    | 5000  | <LOQ          | Pass   |
| Methanol            | 2.76  | 9.12  | 3000  | ND            | Pass   |
| Pentane             | 6.29  | 36    | 5000  | ND            | Pass   |
| Propane             | 7.93  | 26.16 | 5000  | ND            | Pass   |
| Toluene             | 0.98  | 3.24  | 890   | ND            | Pass   |
| Xylenes             | 1.04  | 1.04  | 2170  | ND            | Pass   |

# EVIO LABS

Date Tested: 08/05/2019

LOD=Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on nominal sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu QP2020 GCMS; EVIO SOPT.40.031.CA




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.

# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:

Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

## Microbials

Pass

### Analyte

### Result

|   |                     |
|---|---------------------|
| Aspergillus (A. flavus, A. fumigatus, A. niger, A. terreus) | None Detected in 1g |
| Aspergillus flavus  | None Detected in 1g |
| Aspergillus fumigatus                                       | None Detected in 1g |
| Aspergillus niger   | None Detected in 1g |
| Aspergillus terreus   | None Detected in 1g |
| Shiga toxin-producing E. coli                               | None Detected in 1g |
| Salmonella SPP  | None Detected in 1g |



# EVIO LABS

Date Tested: 08/08/2019

NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: BIO-RAD QPCR CFX96; EVIO SOPT.40.043




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:

Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

## Mycotoxins

| Analyte          | LOD | LOQ  | Limit | Units | Status |
|------------------|-----|------|-------|-------|--------|
| Ochratoxin A     | 4.5 | 14.8 | 20    | ND    | Pass   |
| Total Aflatoxins | 4.4 | 14.6 | 20    | ND    | Pass   |



# EVIO LABS

Date Tested: 08/05/2019

LOD - Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOPT.40.051.CA




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



# LL19072901

Sample ID: 1908ELB0491.1542  
Strain: LL19072901  
Matrix: Ingestible  
Type: Other  
Sample Size: ; Batch:


Created: 08/01/2019  
Collected: 07/31/2019  
Received: 08/01/2019  
Completed: 08/14/2019  
Batch#:

Client  
**CRG Labs LLC**  
Lic. #  
3955 Industrial Way Ste A  
Concord, CA 94520

Cultivator/Manufacturer

## Heavy Metals

| Analyte | LOD   | LOQ   | Limit | Concentration | Status |
|---------|-------|-------|-------|---------------|--------|
|         | µg/g  | µg/g  | µg/g  | µg/g          |        |
| Arsenic | 0.029 | 0.088 | 1.5   | ND            | Pass   |
| Cadmium | 0.02  | 0.059 | 0.5   | ND            | Pass   |
| Lead    | 0.016 | 0.047 | 0.5   | <LOQ          | Pass   |
| Mercury | 0.023 | 0.07  | 3     | ND            | Pass   |



# EVIO LABS

Date Tested: 08/14/2019  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu ICP/MS. EVIO SOPT.30.070.CA, SOPT.40.060.CA




David Egerton  
Lab Director  
08/14/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.