

## HHempco Delta 8

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417HH  
924 Chevy Way  
Medford, OR 97504



### Summary

Test	Date Tested	Result
Batch	07/20/2021	Complete
Cannabinoids		Complete
Residual Solvents		Complete
Microbials		Complete
Mycotoxins		Complete
Pesticides		Complete
Heavy Metals		Complete

### Cannabinoids

Complete

<b>ND</b>	<b>ND</b>	<b>1,740.60 mg/unit</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	%	%	%	mg/g	mg/unit	mg/serving
THCa	0.00400	0.01400	ND	ND	ND	
Δ9-THC	0.00700	0.02100	ND	ND	ND	
Δ8-THC	0.00007	0.00020	4.789	47.89	1436.70	
CBDa	0.00300	0.01000	ND	ND	ND	
CBD	0.00500	0.01500	ND	ND	ND	
CBN	0.00300	0.00800	ND	ND	ND	
CBG	0.00700	0.02200	1.013	10.13	303.90	
<b>Total THC</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>5.80</b>	<b>58.02</b>	<b>1740.60</b>	<b>&lt;LOQ</b>

1 Unit = ml/unit, 30g. 1 mL = 1g.  
Determination of Cannabinoids by HPLC, HL223  
Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



*Ming Li*

Ming Li - General Manager  
07/21/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

## HHempco Delta 8

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417HH  
924 Chevy Way  
Medford, OR 97504

### Pesticides

Complete

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.3	NR	NT	Fludioxonil	0.03	0.1	30	NR	NT
Acephate	0.03	0.1	5	NR	NT	Hexythiazox	0.03	0.1	2	NR	NT
Acequinocyl	0.03	0.1	4	NR	NT	Imazalil	0.03	0.1	0.03	NR	NT
Acetamiprid	0.03	0.1	0.5	NR	NT	Imidacloprid	0.03	0.1	3	NR	NT
Aldicarb	0.03	0.1	0.03	NR	NT	Kresoxim Methyl	0.03	0.1	1	NR	NT
Azoxystrobin	0.03	0.1	40	NR	NT	Malathion	0.03	0.1	5	NR	NT
Bifenazate	0.03	0.1	5	NR	NT	Metalaxyl	0.03	0.1	15	NR	NT
Bifenthrin	0.03	0.1	0.5	NR	NT	Methiocarb	0.03	0.1	0.03	NR	NT
Boscalid	0.03	0.1	10	NR	NT	Methomyl	0.03	0.1	0.1	NR	NT
Captan	0.03	0.1	5	NR	NT	Mevinphos	0.03	0.1	0.03	NR	NT
Carbaryl	0.03	0.1	0.5	NR	NT	Myclobutanil	0.03	0.1	9	NR	NT
Carbofuran	0.03	0.1	0.03	NR	NT	Naled	0.03	0.1	0.5	NR	NT
Chlorantraniliprole	0.03	0.1	40	NR	NT	Oxamyl	0.03	0.1	0.2	NR	NT
Chlordane	0.03	0.1	0.03	NR	NT	Paclobutrazol	0.03	0.1	0.03	NR	NT
Chlorfenapyr	0.03	0.1	0.03	NR	NT	Parathion Methyl	0.03	0.1	0.03	NR	NT
Chlorpyrifos	0.03	0.1	0.03	NR	NT	Pentachloronitrobenzene	0.03	0.1	0.2	NR	NT
Clofentezine	0.03	0.1	0.5	NR	NT	Permethrin	0.03	0.1	20	NR	NT
Coumaphos	0.03	0.1	0.03	NR	NT	Phosmet	0.03	0.1	0.2	NR	NT
Cyfluthrin	0.03	0.1	1	NR	NT	Piperonyl Butoxide	0.03	0.1	8	NR	NT
Cypermethrin	0.03	0.1	1	NR	NT	Prallethrin	0.03	0.1	0.4	NR	NT
Daminozide	0.03	0.1	0.03	NR	NT	Propiconazole	0.03	0.1	20	NR	NT
Diazinon	0.03	0.1	0.2	NR	NT	Propoxur	0.03	0.1	0.03	NR	NT
Dichlorvos	0.03	0.1	0.03	NR	NT	Pyrethrins	0.03	0.1	1	NR	NT
Dimethoate	0.03	0.1	0.03	NR	NT	Pyridaben	0.03	0.1	3	NR	NT
Dimethomorph	0.03	0.1	20	NR	NT	Spinetoram	0.03	0.1	3	NR	NT
Ethoprophos	0.03	0.1	0.03	NR	NT	Spinosad	0.03	0.1	3	NR	NT
Etofenprox	0.03	0.1	0.03	NR	NT	Spiromesifen	0.03	0.1	12	NR	NT
Etoazole	0.03	0.1	1.5	NR	NT	Spirotetramat	0.03	0.1	13	NR	NT
Fenhexamid	0.03	0.1	10	NR	NT	Spiroxamine	0.03	0.1	0.03	NR	NT
Fenoxycarb	0.03	0.1	0.03	NR	NT	Tebuconazole	0.03	0.1	2	NR	NT
Fenpyroximate	0.03	0.1	2	NR	NT	Thiacloprid	0.03	0.1	0.03	NR	NT
Fipronil	0.03	0.1	0.03	NR	NT	Thiamethoxam	0.03	0.1	4.5	NR	NT
Fonicamid	0.03	0.1	2	NR	NT	Trifloxystrobin	0.03	0.1	30	NR	NT

Date Tested:  
We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2



*Ming Li*

Ming Li - General Manager  
07/21/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## HHempco Delta 8

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417HH  
924 Chevy Way  
Medford, OR 97504

### Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	1	1	1	NR	NT
Acetone	1	10	5000	NR	NT
Acetonitrile	1	5	410	NR	NT
Benzene	1	1	1	NR	NT
Butane	1	25	5000	NR	NT
Chloroform	1	1	1	NR	NT
Ethanol	1	10	5000	NR	NT
Ethyl-Acetate	1	10	5000	NR	NT
Ethyl-Ether	1	10	5000	NR	NT
Ethylene Oxide	1	1	1	NR	NT
Heptane	1	10	5000	NR	NT
Isopropanol	1	10	5000	NR	NT
Methanol	1	10	3000	NR	NT
Methylene-Chloride	1	1	1	NR	NT
n-Hexane	1	10	290	NR	NT
Pentane	1	10	5000	NR	NT
Propane	1	10	5000	NR	NT
Toluene	1	10	890	NR	NT
Trichloroethene	1	1	1	NR	NT
Xylenes	1	10	2170	NR	NT

ISO 17025 Accredited Laboratory

Date Tested:  
ND = Not Detected; SOP HL231. Headspace GC-FID



*Ming Li*

Ming Li - General Manager  
07/21/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

## HHempco Delta 8

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417IHH  
924 Chevy Way  
Medford, OR 97504

### Microbials

Complete

Analyte	Units	Status
Aerobic Plate Count	CFU/g	
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga Toxin-producing E. coli	NR	NT
Salmonella SPP	NR	NT
Yeast & Mold	NR	NT



**Date Tested:**

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.



*Ming Li*

Ming Li - General Manager  
07/21/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

## HHempco Delta 8

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417HH  
924 Chevy Way  
Medford, OR 97504

## Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Mass	Status
Arsenic	0.50	1.50	1.5	NR	NT
Cadmium	0.07	0.20	0.5	NR	NT
Lead	0.17	0.50	0.5	NR	NT
Mercury	1.00	3.00	3	NR	NT

Harrens<sup>®</sup>  
ISO 17025 Accredited Laboratory

Date Tested:  
SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



*Ming Li*

Ming Li - General Manager  
07/21/2021

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

**HHempco Delta 8**

Sample ID: HR20210790242  
Strain: HHempco Delta 8  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Produced:  
Collected: 07/19/2021  
Received: 07/20/2021  
Completed: 07/21/2021  
Batch#: HH100D

Client  
**HHemp.Co**  
Lic. # AG-R10666417IHH  
924 Chevy Way  
Medford, OR 97504

**Mycotoxins**

Complete

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.97	2.95		NR	NT
B2	0.51	1.56		NR	NT
G1	0.65	1.98		NR	NT
G2	0.55	1.67		NR	NT
Ochratoxin A	0.55	1.66	20	NR	NT
Total Aflatoxins			20	NR	NT



Date Tested:  
SOP HL 240  
Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241



*Ming Li*  
Ming Li  
General Manager

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.